


WILSONSTAK® LIBRARY SHELVING

Reference Catalog



Ordering Information.....	2	Bookstack Base Shelves	12-13
Bookstack Planning	3	Bookstack Adjustable Shelves	13
Bookstack Units.....	4 - 5	Special Purpose Base Shelves	14
Integral Back Units	6 - 7	Special Purpose Components	15-16
Divider-Type Units.....	8 - 9	Shelf Accessories	17-18
Display Units.....	10	Seismic Safety System.....	19
Frames & Frame Accessories	11		

Effective August 1, 2010

Ordering Information

How To Order

Orders may be placed by authorized Borroughs dealers.
Verbal orders are not accepted.

Mail: Borroughs Corporation
Attn: Library Products Order Entry
3002 N. Burdick St.
Kalamazoo, MI 49004-3483

Fax purchase orders to: 800-375-1327

All other requests, please use fax number 269-342-4161

For **Customer Service** call 800-748-0227

All orders must show quantity, catalog number, description, color and customer purchase order number. Borroughs does not assume responsibility for errors on orders not submitted in writing.

Acknowledgement

Borroughs will issue a written Order Acknowledgment for each order accepted. Estimated ship dates are stated on Acknowledgements. All orders are considered correct as acknowledged. **Order changes may affect estimated ship dates! Customer must review acknowledgments promptly and notify Borroughs of any error.**

Group I Standard Colors

#010 Autumn Haze	#040 Black	#065 Industrial Gray
#159 Eggshell	#161 Mist Gray	#165 Forest Gray
#445 White	#D492 Parchment	#F604 Pebble

Group II Additional Standard Colors*

*Group II Additional Standard Colors for Wilsonstak Library Shelving carry a two (2) week extended lead time with no additional charge;

OR

For a normal lead time, *Custom Color Upcharge Policy* applies (see below).

#011 Blond Tan	#013 Putty	#030 Alamo Tan
#035 Brown	#163 Morning Gray	#181 Aqua Haze
#F303 Warm Beige	#G307 Hunter Green	#B354 Brit Blue
#F393 Feather Stone	#B504 Blue	#C604 Burgundy

Custom Color Upcharge

Borroughs will provide color samples (metal chips) of custom color. **Samples must be approved in writing before order is accepted for a firm shipping date.** If the custom color appears metallic or extremely light, please submit a sample to Borroughs for a firm quote. Contact Customer Service for more information.

One Order; One Color

Up to \$20,000 list:	\$250 net set-up charge plus 10% of net price
Over \$20,000 list:	\$0 set-up charge plus 5% of net price

Order Changes / Cancellation

Order changes/cancellations must always be confirmed to Borroughs in writing. Borroughs will issue a new Order Acknowledgment for each change (see Acknowledgments). Lead times may be changed by Borroughs if necessary to accommodate order changes.

Acknowledged orders will be changed without penalty prior to their production. If production has begun, the following conditions apply:

- A cancellation fee equal to 20% of the net order amount will be assessed for standard products,
- Custom product orders cannot be cancelled if production has begun,
- Custom color orders cannot be cancelled if painted, and
- Customer must compensate Borroughs for special parts or materials purchased by Borroughs to produce an order.

Small / Minimum Order Policy

Borroughs has a \$250.00 net, plus shipping costs, minimum charge for any order processed.

Special Marking and Packaging

Custom crating, marking, palletizing or export packing is subject to special pricing; and quotations must be made in advance to order placement. Contact Borroughs' Customer Service to determine exact charges.

Shipment Terms

All Orders - All orders will be shipped F.O.B. shipping point. Shipments will be "best way" with freight charged collect. Customer may request that freight be prepaid and added to the invoice.

Special Arrangements - Special carrier or special delivery arrangements can be accommodated. These should be requested in writing as part of the customer order. Orders requesting customer pickup will be accommodated; however, Borroughs reserves the right to ship orders at customer's expense if customer fails to take product on the agreed date.

Payment Terms (all products)

1.5% - 10 days; net 30 days. (Different terms may be applied outside continental United States). No cash discounts on freight, taxes or services. A 1-1/2% per month finance charge will be added to all unpaid balances after 30 days.

Damaged Shipments

Responsibility - Delivery to the carrier shall constitute delivery to the customer. Borroughs' liability ends upon delivery of products to the carrier. Goods are shipped at the customer's risk. **All claims for product lost or damaged in transit shall be made by the customer.**

Visible Damage - Should be noted on the freight bill and acknowledged by the driver's signature.

Concealed Damage - Notify the freight agent if concealed damage is found within 15 days of delivery. Request an inspection. An inspection is necessary for filing a claim.

Return Shipments

- Return shipments may be authorized within 60 days of original shipment.
- You must have written authorization from Borroughs **prior** to any return.
- Authorized returns must be packaged properly using original cartons. They are to be shipped with **freight prepaid by customer.**
- **25% restocking charge for standard color items.**
- Custom product items, including custom colors, may not be returned.
- All returns subject to any reconditioning charges determined necessary by Borroughs upon inspection of the returned goods.

Prices

Prices are subject to change without notice.

Not Offer To Sell

Possession of this price list is not to be construed as an offer to sell the products listed. Borroughs reserves the right to discontinue any item in this price list without notice. Borroughs reserves the right to change material and design specifications at any time, and without obligation to make corresponding changes in products manufactured previously.

Taxes

Any manufacturer's sales or excise tax, or any other tax or government charge now or hereafter levied upon the product, sales, use or shipment of goods shall, at the Company's option, be charged to the customer.

Warranty

Borroughs Corporation extends to the original purchaser from the date of purchase a **five-year limited warranty** against manufacturing defects in material and workmanship. If a Borroughs product fails to perform because of a manufacturing defect, Borroughs will examine it. If found defective, it will be repaired or replaced at our option.

This warranty does not apply to any product which has been subject to misuse, negligence, or accident; has been damaged in shipment, storage, or installation; has been misapplied or has been modified or **repaired by unauthorized persons** or been repaired with non-standard Borroughs replacement parts. This warranty specifically excludes claims for indirect, incidental, or consequential damages arising in any way from a product defect. This warranty is exclusive, and exists in lieu of all other warranties, either expressed or implied.

To obtain warranty service, contact your Borroughs Selling Dealer. You must make a written claim. Provide a copy of your purchase record and a written description of the warranty problem with your claim. If you are unable to contact your Dealer, contact: Borroughs Corporation, Customer Service Manager, 3002 N. Burdick St., Kalamazoo, MI 49004-3483.

Library Bookstack Planning

Library Bookstacks are shelving units specifically designed for the efficient storage and display of library collections. Proper selection of bookstacks is a very important aspect of library design. Borroughs offers a nationwide group of library equipment specialists who are prepared to assist you in all phases of library bookstack planning. A Borroughs representative would be pleased to offer assistance with floor plan layouts, engineering data, production information, and budget pricing.



The information which follows, outlines some important considerations in Library Bookstack planning.

Shelf Selection and Capacities

The shelf size and number of bookstack units selected will depend on the type of books being shelved. The following table indicates the recommended shelf depth and average number of volumes which can be stored per linear foot of shelf for various types of books. Please note this table shows the maximum capacity of a shelf and not the typical working capacity. Working capacity typically will be between 2/3 and 3/4 of the maximum capacities shown.


Types of Volumes	Number of Volumes Per Linear Foot of Shelf	Recommended Depth of Shelf	Volumes Per Sq. Ft. of Bookstack Area*
Circulation (non-fiction)	8	8"	19
Fiction	8	8"	19
General Literature	7	8"	18
Economics	8	8"	19
Reference	6	8"/10"	17
History	7	8"	18
Technical and Scientific	6	8"/10"/12"	15
Law	5	8"	11
Medical	5	8"/10"	11
Bound Periodicals	5	10"/12"	11
Art (quartos and folios)	7	10"/12"	15
Juvenile (octavos)	10	8"	20
Juvenile (folios)	12	10"/12"	17
Public Documents	5	8"	12

*Based on storage in 90" high Bookstack units.

As a guide, an average library will require about 80% - 85% of its total shelving as 8" deep, 10% - 15% in 10" depth, and 2% - 5% in 12" depth.

Nominal vs. Actual Dimensions

For cantilever-type bookstacks, the adjustable shelves and base shelf depths are given in "nominal" dimensions, which indicates the depth from the front edge of the shelf to the centerline of the 2" depth frame.



For adjustable shelves, the actual depth is 1" less than the "nominal" depth.

For base shelves, the actual depth of the shelf, as well as the overall depth of the bookstack unit, will measure 1-3/8" greater than the "nominal" depth for single faced units, and 7/16" greater than the "nominal" depth for double faced units.

All heights indicated for bookstack units are actual heights.

Freestanding & Non-Freestanding Bookstacks


Double faced bookstack units with 8" or 9" adjustable shelves over a 20" base, as well as 10" or 12" adjustable shelves over a 24" base are freestanding. Double faced bookstack units with adjustable shelves and base shelves that have the same "nominal" depth and all single faced bookstack units are non-freestanding. Non-freestanding units must be floor anchored or stabilized with top tie struts.

Floor Loading

The weight of a single tier bookstack, filled with books to typical working capacity, may be estimated at 35 lbs. per cubic foot of range. Normally, the floor load for bookstack and books can be safely estimated at 150 lbs. per square foot. An exception is compact shelving, which normally results in floor loads of 200 - 250 lbs. per square foot. Additional allowances may be required depending on local building codes.

Planning Guidelines

Library bookstacks are normally installed in ranges consisting of one or more 3-foot sections in a continuous row. Recommended row and aisle spacing is illustrated below as a guide in preliminary planning.



Bookstack Units - Single Faced

36" Wide with Closed Base & Adjustable Shelves

General Information

- All frames slotted 1" on center for shelf adjustability.
- Adjustable levelers are included. Specify carpet pins, if desired.
- Accessories for these units are located on page 17.
- Other heights available on special order. Contact factory for details.
- **IMPORTANT:** All single faced units must be anchored to the wall.


Optional Widths

Widths:	24"	30"
Catalog numbers:	M4	M0

Note: When ordering replace the first two digits from the specified standard heights below with the appropriate letters/numbers in this chart.


42" High 2 Adjustable Shelves • 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt. lb.
M6842	8"	8"	41
M684	8"	10"	43
M6942	9"	9"	44
M694	9"	10"	45
M61042	10"	10"	46
M6104	10"	12"	47
M6124	12"	12"	51




78" High 5 Adjustable Shelves • 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
M6872	8"	8"	66
M687	8"	10"	68
M6972	9"	9"	71
M697	9"	10"	72
M61072	10"	10"	75
M6107	10"	12"	77
M6127	12"	12"	86




54" High 3 Adjustable Shelves • 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
M6852	8"	8"	48
M685	8"	10"	50
M6952	9"	9"	52
M695	9"	10"	53
M61052	10"	10"	56
M6105	10"	12"	58
M6125	12"	12"	61




84" High 6 Adjustable Shelves • 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
M6882	8"	8"	74
M688	8"	10"	76
M6982	9"	9"	79
M698	9"	10"	80
M61082	10"	10"	83
M6108	10"	12"	85
M6128	12"	12"	96




66" High 4 Adjustable Shelves • 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
M6862	8"	8"	58
M686	8"	10"	60
M6962	9"	9"	62
M696	9"	10"	63
M61062	10"	10"	65
M6106	10"	12"	67
M6126	12"	12"	74



90" High 6 Adjustable Shelves • 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
M6892	8"	8"	75
M689	8"	10"	77
M6992	9"	9"	81
M699	9"	10"	82
M61092	10"	10"	85
M6109	10"	12"	86
M6129	12"	12"	98



Bookstack Units - Double Faced

36" Wide with Closed Base & Adjustable Shelves


General Information

- All frames slotted 1" on center for shelf adjustability.
- Adjustable levelers are included. Specify carpet pins, if desired.
- Accessories for these units are located on page 17.
- Other heights available on special order. Contact factory for details.
- **IMPORTANT:** All double faced units 78" high or higher with a catalog number ending with a 2 must be anchored to the floor, or to the wall with a top tie strut.

Optional Widths		
Widths:	24"	30"
Catalog numbers:	M4	M0
<i>Note: When ordering replace the first two digits from the specified standard heights below with the appropriate letters/numbers in this chart.</i>		


42" High 4 Adjustable Shelves • 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
M61642	8"	16"	60
M6164	8"	20"	64
M61842	9"	18"	65
M6184	9"	20"	67
M62042	10"	20"	69
M6204	10"	24"	72
M6244	12"	24"	80



78" High 10 Adjustable Shelves • 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
M61672	8"	16"	104
M6167	8"	20"	108
M61872	9"	18"	114
M6187	9"	20"	116
M62072	10"	20"	121
M6207	10"	24"	124
M6247	12"	24"	143




54" High 6 Adjustable Shelves • 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
M61652	8"	16"	73
M6165	8"	20"	77
M61852	9"	18"	81
M6185	9"	20"	83
M62052	10"	20"	89
M6205	10"	24"	92
M6245	12"	24"	98




84" High 12 Adjustable Shelves • 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
M61682	8"	16"	117
M6168	8"	20"	121
M61882	9"	18"	129
M6188	9"	20"	131
M62082	10"	20"	137
M6208	10"	24"	140
M6248	12"	24"	163




66" High 8 Adjustable Shelves • 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
M61662	8"	16"	89
M6166	8"	20"	93
M61862	9"	18"	97
M6186	9"	20"	99
M62062	10"	20"	104
M6206	10"	24"	107
M6246	12"	24"	122



90" High 12 Adjustable Shelves • 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
M61692	8"	16"	119
M6169	8"	20"	122
M61892	9"	18"	130
M6189	9"	20"	132
M62092	10"	20"	138
M6209	10"	24"	141
M6249	12"	24"	164



Integral Back Units - Single Faced

36" Wide with Sliding Supports, Closed Base & Adjustable Shelves

General Information

- All frames slotted 1" on center for shelf adjustability.
- Adjustable levelers are included. Specify carpet pins, if desired.
- Units 8" and 9" deep supplied with 7" sliding book supports; units 10" and 12" deep supplied with 9" sliding book supports.
- Accessories for these units are located on page 17.
- Other heights available on special order. Contact factory for details.
- **IMPORTANT:** All single faced units must be anchored to the wall.


Optional Widths

Widths:	24"	30"
Catalog numbers:	M4	M0

Note: When ordering replace the first two digits from the specified standard heights below with the appropriate letters/numbers in this chart.


42" High 2 Adjustable Integral Back Shelves 1 Integral Back Base Shelf • 3 Sliding Book Supports

Catalog No.	Shelf Depth	Base Depth	Wt.
M6842IBU	8"	8"	42
M684IBU	8"	10"	44
M6942IBU	9"	9"	45
M694IBU	9"	10"	46
M61042IBU	10"	10"	47
M6104IBU	10"	12"	48
M6124IBU	12"	12"	52




78" High 5 Adjustable Integral Back Shelves 1 Integral Back Base Shelf • 6 Sliding Book Supports

Catalog No.	Shelf Depth	Base Depth	Wt.
M6872IBU	8"	8"	68
M687IBU	8"	10"	70
M6972IBU	9"	9"	73
M697IBU	9"	10"	74
M61072IBU	10"	10"	77
M6107IBU	10"	12"	79
M6127IBU	12"	12"	88




54" High 3 Adjustable Integral Back Shelves 1 Integral Back Base Shelf • 4 Sliding Book Supports

Catalog No.	Shelf Depth	Base Depth	Wt.
M6852IBU	8"	8"	46
M685IBU	8"	10"	48
M6952IBU	9"	9"	50
M695IBU	9"	10"	51
M61052IBU	10"	10"	54
M6105IBU	10"	12"	56
M6125IBU	12"	12"	59




84" High 6 Adjustable Integral Back Shelves 1 Integral Back Base Shelf • 7 Sliding Book Supports

Catalog No.	Shelf Depth	Base Depth	Wt.
M6882IBU	8"	8"	76
M688IBU	8"	10"	78
M6982IBU	9"	9"	81
M698IBU	9"	10"	82
M61082IBU	10"	10"	85
M6108IBU	10"	12"	87
M6128IBU	12"	12"	98




66" High 4 Adjustable Integral Back Shelves 1 Integral Back Base Shelf • 5 Sliding Book Supports

Catalog No.	Shelf Depth	Base Depth	Wt.
M6862IBU	8"	8"	60
M686IBU	8"	10"	62
M6962IBU	9"	9"	64
M696IBU	9"	10"	65
M61062IBU	10"	10"	67
M6106IBU	10"	12"	69
M6126IBU	12"	12"	76



90" High 6 Adjustable Integral Back Shelves 1 Integral Back Base Shelf • 7 Sliding Book Supports

Catalog No.	Shelf Depth	Base Depth	Wt.
M6892IBU	8"	8"	77
M689IBU	8"	10"	79
M6992IBU	9"	9"	83
M699IBU	9"	10"	84
M61092IBU	10"	10"	87
M6109IBU	10"	12"	88
M6129IBU	12"	12"	100



Integral Back Units - Double Faced

36" Wide with Sliding Supports, Closed Base & Adjustable Shelves

General Information

- All frames slotted 1" on center for shelf adjustability.
- Adjustable levelers are included. Specify carpet pins, if desired.
- Units 8" and 9" deep supplied with 7" sliding book supports; units 10" and 12" deep supplied with 9" sliding book supports.
- Accessories for these units are located on page 17.
- Other heights available on special order. Contact factory for details.
- **IMPORTANT:** All double faced units 78" high or higher with a catalog number ending with a 2 must be anchored to the floor, or to the wall with a top tie strut.


Optional Widths

Widths:	24"	30"
Catalog numbers:	M4	M0

Note: When ordering replace the first two digits from the specified standard heights below with the appropriate letters/numbers in this chart.


42" High 4 Adjustable Integral Back Shelves
1 Integral Back Base Shelf • 6 Sliding Book Supports

Catalog No.	Shelf Depth	Base Depth	Wt.
M61642IBU	8"	16"	62
M6164IBU	8"	20"	66
M61842IBU	9"	18"	67
M6184IBU	9"	20"	69
M62042IBU	10"	20"	71
M6204IBU	10"	24"	74
M6244IBU	12"	24"	82



78" High 10 Adjustable Integral Back Shelves
1 Integral Back Base Shelf • 12 Sliding Book Supports

Catalog No.	Shelf Depth	Base Depth	Wt.
M61672IBU	8"	16"	107
M6167IBU	8"	20"	111
M61872IBU	9"	18"	117
M6187IBU	9"	20"	119
M62072IBU	10"	20"	124
M6207IBU	10"	24"	127
M6247IBU	12"	24"	146




54" High 6 Adjustable Integral Back Shelves
1 Integral Back Base Shelf • 8 Sliding Book Supports

Catalog No.	Shelf Depth	Base Depth	Wt.
M61652IBU	8"	16"	72
M6165IBU	8"	20"	75
M61852IBU	9"	18"	79
M6185IBU	9"	20"	81
M62052IBU	10"	20"	87
M6205IBU	10"	24"	90
M6245IBU	12"	24"	96




84" High 12 Adjustable Integral Back Shelves
1 Integral Back Base Shelf • 14 Sliding Book Supports

Catalog No.	Shelf Depth	Base Depth	Wt.
M61682IBU	8"	16"	120
M6168IBU	8"	20"	124
M61882IBU	9"	18"	132
M6188IBU	9"	20"	133
M62082IBU	10"	20"	140
M6208IBU	10"	24"	143
M6248IBU	12"	24"	166




66" High 8 Adjustable Integral Back Shelves
1 Integral Back Base Shelf • 10 Sliding Book Supports

Catalog No.	Shelf Depth	Base Depth	Wt.
M61662IBU	8"	16"	92
M6166IBU	8"	20"	96
M61862IBU	9"	18"	100
M6186IBU	9"	20"	102
M62062IBU	10"	20"	107
M6206IBU	10"	24"	110
M6246IBU	12"	24"	125



90" High 12 Adjustable Integral Back Shelves
1 Integral Back Base Shelf • 14 Sliding Book Supports

Catalog No.	Shelf Depth	Base Depth	Wt.
M61692IBU	8"	16"	122
M6169IBU	8"	20"	125
M61892IBU	9"	18"	133
M6189IBU	9"	20"	135
M62092IBU	10"	20"	141
M6209IBU	10"	24"	143
M6249IBU	12"	24"	167



Divider-Type Units - Single Faced

36" Wide with Slotted Adjustable Shelves, Slotted Closed Base, & Dividers

General Information

- All frames slotted 1" on center for shelf adjustability.
- Adjustable levelers are included. Specify carpet pins, if desired.
- Usable shelf depth is 1" less than dimensions shown.
- Shelves are slotted on 1" centers for dividers and have 5" high rear vertical flange which acts as a backstop.
- 36" wide units are supplied with five 6" dividers per shelf; 30" wide units are supplied with four 6" high dividers per shelf. Additional 6", and 10" high dividers are available.
- Other heights available on special order. Contact factory for details.
- **IMPORTANT:** All single faced units must be anchored to the wall.

Optional Widths


Widths:	24"	30"
Catalog numbers:	MD4	MD0

Note: When ordering replace the first two digits from the specified standard heights below with the appropriate letters/numbers in this chart.

42" High

2 Adjustable Shelves
1 Base Shelf


Catalog No.	Shelf Depth	Base Depth	Wt.
MD61042	10"	10"	60
MD6104	10"	12"	62
MD6124	12"	12"	66
MD6144	14"	16"	74



78" High

5 Adjustable Shelves
1 Base Shelf


Catalog No.	Shelf Depth	Base Depth	Wt.
MD61072	10"	10"	95
MD6107	10"	12"	98
MD6127	12"	12"	106
MD6147	14"	16"	114



54" High

3 Adjustable Shelves
1 Base Shelf


Catalog No.	Shelf Depth	Base Depth	Wt.
MD61052	10"	10"	66
MD6105	10"	12"	79
MD6125	12"	12"	85
MD6145	14"	16"	92



90" High

6 Adjustable Shelves
1 Base Shelf


Catalog No.	Shelf Depth	Base Depth	Wt.
MD61092	10"	10"	123
MD6109	10"	12"	126
MD6129	12"	12"	136
MD6149	14"	16"	154



66" High

4 Adjustable Shelves
1 Base Shelf


Catalog No.	Shelf Depth	Base Depth	Wt.
MD61062	10"	10"	92
MD6106	10"	12"	94
MD6126	12"	12"	101
MD6146	14"	16"	114



93" High

7 Adjustable Shelves
1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
MD610932	10"	10"	137
MD61093	10"	12"	140
MD61293	12"	12"	152
MD61493	14"	16"	172



Divider-Type Units - Double Faced

36" Wide with Slotted Adjustable Shelves, Slotted Closed Base, & Dividers

General Information


- All frames slotted 1" on center for shelf adjustability.
- Adjustable levelers are included. Specify carpet pins, if desired.
- Usable shelf depth is 1" less than dimensions shown.
- Shelves are slotted on 1" centers for dividers and have 5" high rear vertical flange which acts as a backstop.
- 36" wide units are supplied with five 6" dividers per shelf; 30" wide units are supplied with four 6" high dividers per shelf. Additional 6" and 10" high dividers are available.
- Other heights available on special order. Contact factory for details.
- **IMPORTANT:** All double faced units 78" high or higher with a catalog number ending with a 2 must be anchored to the floor, or to the wall with a top tie strut.

IMPORTANT: All single faced units must be anchored to wall.

Optional Widths		
Widths:	24" 30"	
Catalog numbers:	MD4 MD0	
<p><i>Note: When ordering replace the first two digits from the specified standard heights below with the appropriate letters/numbers in this chart.</i></p>		


42" High 4 Adjustable Shelves 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
MD62042	10"	20"	104
MD6204	10"	24"	109
MD6244	12"	24"	116
MD6284	14"	32"	133




78" High 10 Adjustable Shelves 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
MD62072	10"	20"	166
MD6207	10"	24"	171
MD6247	12"	24"	187
MD6287	14"	32"	203




54" High 6 Adjustable Shelves 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
MD62052	10"	20"	133
MD6205	10"	24"	138
MD6245	12"	24"	150
MD6285	14"	32"	164




90" High 12 Adjustable Shelves 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
MD62092	10"	20"	220
MD6209	10"	24"	224
MD6249	12"	24"	245
MD6289	14"	32"	281




66" High 8 Adjustable Shelves 1 Base Shelf

Catalog No.	Shelf Depth	Base Depth	Wt.
MD62062	10"	20"	161
MD6206	10"	24"	165
MD6246	12"	24"	179
MD6286	14"	32"	206



93" High 14 Adjustable Shelves 1 Base Shelf


Catalog No.	Shelf Depth	Base Depth	Wt.
MD620932	10"	20"	248
MD62093	10"	24"	252
MD62493	12"	24"	276
MD62893	14"	32"	316



Display Units - Single & Double Faced

36" Wide with Adjustable Shelves

Fixed Display Units



42" 66" 78"

(Double Faced Units Not Shown)

Catalog No.	Shelf Depth	Base Depth	Unit Height	Wt.
MFP64	12"	12"	42"	59
MFP66	12"	12"	66"	82
MFP67	12"	12"	78"	102
MFP69	12"	12"	90"	122
MFP64DF	12"	24"	42"	96
MFP66DF	12"	24"	66"	137
MFP67DF	12"	24"	78"	175
MFP69DF	12"	24"	90"	213

Book Display Units-Single Faced




66" 78" 90"

Catalog No.	Shelf Depth	Unit Depth	Unit Height	Wt.
STARTER				
MBDS66	10"	12"	66"	64
MBDS67	10"	12"	78"	75
MBDS69	10"	12"	90"	85
ADDER				
MBDA66	10"	12"	66"	65
MBDA67	10"	12"	78"	76
MBDA69	10"	12"	90"	86

NOTE: 1st and 2nd shelf on Book Display Units are 8" and 9" deep respectively. All shelves approximately 10" deep.

Hinged Display Units



42" 66" 78"

(Double Faced Units Not Shown)

Catalog No.	Shelf Depth	Base Depth	Unit Height	Wt.
MHP64	12"	12"	42"	59
MHP66	12"	12"	66"	100
MHP67	12"	12"	78"	120
MHP69	12"	12"	90"	140
MHP64DF	12"	24"	42"	96
MHP66DF	12"	24"	66"	173
MHP67DF	12"	24"	78"	211
MHP69DF	12"	24"	90"	249

Book Display Units-Double Faced



Catalog No.	Shelf Depth	Unit Depth	Unit Height	Wt.
MBDS66DF	10"	24"	66"	109
MBDS67DF	10"	24"	78"	128
MBDS69DF	10"	24"	90"	146
ADDER				
MBDA66DF	10"	24"	66"	111
MBDA67DF	10"	24"	78"	130
MBDA69DF	10"	24"	90"	148

General Information - Fixed & Hinged Display Units


- 24" and 30" wide units available. For 24" change catalog number to begin with MFP4. For 30" change catalog number to begin with MFP0. Other heights available on special order. Contact factory for details.
- All frames slotted 1" on center for shelf adjustability.
- Display surface of fixed periodical shelf is 11" high; on hinged periodical shelves, display surface is 14" high.
- Display surface of hinged periodical shelf pivots on brackets attached to storage shelf and rests in horizontal position when lifted.
- Adjustable levelers are included. Specify carpet pins, if desired.

General Information - Book Display Units

- 24" and 30" wide units available. For 24" change catalog number to begin with MBDS4. For 30" change catalog number to begin with MBDS0. Other heights available on special order. Contact factory for details.
- All frames slotted 1" on center for shelf adjustability.
- Adjustable levelers are included. Specify carpet pins, if desired.
- Starter units have two starter gussets; adder units have one adder gusset.

Frames & Frame Accessories

Welded Frame



STANDARD FRAME

Catalog No.	Height	Wt.
31231-005	36"	15
31231-010	42"	16
31231-015	48"	16.5
31231-020	54"	17
31231-025	60"	18
31231-030	66"	19
31231-035	72"	20
31231-040	78"	22
31231-050	84"	23
31231-060	90"	24
31231-070	93"	25

- Frames are 36" wide. 30" and 24" wide available at no additional charge.
- Special heights are available. Contact the factory for details.

Seismic Welded Frame


SEISMIC FRAME

Catalog No.	Height	Wt.
31232-060	60"	22
31232-065	66"	23
31232-070	72"	24
31232-075	78"	26
31232-080	84"	27
31232-085	90"	28


- Frames are available in 36" wide. 30" and 24" wide available at no additional charge.
- Special heights are available. Contact the factory for details.

Steel Canopy Tops

May be added to installation at any time. Depth of Canopy Top should match depth of base shelf. Includes necessary canopy top brackets. (Indicate if tops are to be used with column strips).



Single Faced



Double Faced

Catalog No.	Base Shelf Depth	Wt.
Single Faced		
MC608-SF	8"	7
MC609-SF	9"	8
MC610-SF	10"	9
MC611-SF	11"	9.5
MC612-SF	12"	10
MC613-SF	13"	11
MC616-SF	16"	13
Double Faced		
MC616-DF	16"	14
MC618-DF	18"	15
MC620-DF	20"	16
MC622-DF	22"	17
MC624-DF	24"	18
MC626-DF	26"	20
MC632-DF	32"	24

Additional canopy top brackets - Catalog No. 31519-010 - \$3.40 list each.

NOTE: If top of unit is to be used as a counter or work surface, high-pressure plastic laminate is recommended. Contact factory for details.

Wall Hung Column Strip



One-piece Wall Hung Column Strip. Designed to accept all components or accessory items. Furnished in standard heights, but may be cut to any length desired - contact factory for details.

Catalog No.	Depth	Wt.
31280-010	42"	2
31280-020	54"	4
31280-030	66"	4
31280-040	78"	5
31280-050	84"	5
31280-060	90"	6

Solid Metal End Panels

Serves as finished, decorative end for all bookstacks. For single faced or double faced units - match the depth of the base shelf. Available in smooth steel. Various wood or laminate panels are available; contact factory.




SINGLE FACED			DOUBLE FACED		
Catalog No.	Base Depth	Wt.	Catalog No.	Base Depth	Wt.
42" High					
31120-010	8"	11	31122-055	16"	19
31120-045	9"	12	31122-090	18"	20
31120-080	10"	13	31123-025	20"	21
31121-015	12"	14	31123-060	24"	24
31122-000	16"	16	31124-045	32"	30
54" High					
31120-015	8"	14	31122-057	16"	24
31120-050	9"	15	31122-095	18"	26
31120-085	10"	16	31123-030	20"	27
31121-020	12"	17	31123-065	24"	31
31122-005	16"	20	31124-050	32"	38
66" High					
31120-020	8"	17	31122-065	16"	29
31120-055	9"	18	31123-000	18"	31
31120-090	10"	19	31123-035	20"	33
31121-025	12"	20	31123-070	24"	37
31122-010	16"	24	31124-055	32"	45
78" High					
31120-025	8"	19	31122-070	16"	34
31120-060	9"	20	31123-005	18"	36
31120-095	10"	21	31123-040	20"	39
31121-030	12"	24	31123-075	24"	44
31122-015	16"	28	31124-060	32"	53
84" High					
31120-030	8"	21	31122-075	16"	36
31120-065	9"	22	31123-010	18"	39
31121-000	10"	23	31123-045	20"	42
31121-035	12"	25	31123-080	24"	47
31122-025	16"	31	31124-070	32"	57
90" High					
31120-035	8"	22	31122-080	16"	39
31120-070	9"	23	31123-015	18"	42
31121-005	10"	24	31123-050	20"	44
31121-040	12"	27	31123-085	24"	50
31122-035	16"	33	31124-080	32"	61
93" High					
31120-040	8"	23	31122-085	16"	41
31120-075	9"	24	31123-020	18"	43
31121-010	10"	25	31123-055	20"	46
31121-045	12"	28	31123-090	24"	52
31122-040	16"	34	31124-085	32"	63

Bookstack Base Shelves


Closed Base Shelf

One-piece construction comes complete with clinching gusset base brackets. **Base shelf is generally 2" deeper than adjustable shelves.** Special widths are available. Contact factory for details and pricing. **Standard base width is 36".** Brackets included.



Single Faced


Catalog No.	Base Depth	Wt.
Single Faced		
MBS68	8"	13
MBS69	9"	14
MBS610	10"	15
MBS611	11"	16
MBS612	12"	17
MBS613	13"	18
MBS616SF	16"	20




Double Faced

Catalog No.	Base Depth	Wt.
Double Faced		
MBS616	16"	20
MBS618	18"	22
MBS620	20"	24
MBS622	22"	25
MBS624	24"	27
MBS626	26"	29
MBS632	32"	33

Sloped Closed Base Shelf One-piece construction comes complete with clinching gusset base brackets. **Base shelf is generally 2" deeper than adjustable shelves.** Special widths are available. Contact factory for details and pricing. **Standard base width is 36".** Brackets included.



Catalog No.	Base Depth	Wt.
Single Faced		
MBS68SLP	8"	14
MBS69SLP	9"	15
MBS610SLP	10"	16
MBS611SLP	11"	17
MBS612SLP	12"	18
MBS613SLP	13"	19
MBS616SFSLP	16"	21




Catalog No.	Base Depth	Wt.
Double Face		
MBS616SLP	16"	22
MBS618SLP	18"	24
MBS620SLP	20"	26
MBS622SLP	22"	27
MBS624SLP	24"	29
MBS626SLP	26"	31
MBS632SLP	32"	35

General Information

24" and 30" wide base units available. For 24" change catalog number to begin with MBS4. For 30" change catalog number to begin with MBS0.


Integral Back Base Shelf

One-piece construction comes complete with clinching gusset base brackets. **Base shelf is generally 2" deeper than adjustable shelves.** Shelf is formed with an upturned flange which also serves as a rail for optional attachment of sliding book support. Special widths are available. Contact factory for details and pricing. **Standard base width is 36".** Brackets included. **Sliding book supports are not included.**



Single Faced

Catalog No.	Base Depth	Wt.
Single Faced		
MIBS68	8"	11
MIBS69	9"	12
MIBS610	10"	13
MIBS611	11"	14
MIBS612	12"	15
MIBS613	13"	16
MIBS616SF	16"	17




Double Faced


Catalog No.	Base Depth	Wt.
Double Faced		
MIBS616	16"	19
MIBS618	18"	20
MIBS620	20"	22
MIBS622	22"	24
MIBS624	24"	25
MIBS626	26"	28
MIBS632	32"	31

Sloped Integral Back Base Shelf

One-piece construction comes complete with clinching gusset base brackets. **Base shelf is generally 2" deeper than adjustable shelves.** Shelf is formed with an upturned flange which also serves as a rail for optional attachment of sliding book support. Special widths are available. Contact factory for details and pricing. **Standard base width is 36".** Brackets included. **Sliding book supports are not included.**



Catalog No.	Base Depth	Wt.
Single Face		
MSIBS68	8"	12
MSIBS69	9"	13
MSIBS610	10"	14
MSIBS611	11"	15
MSIBS612	12"	16
MSIBS613	13"	17
MSIBS616SF	16"	20



Catalog No.	Base Depth	Wt.
Double Face		
MSIBS616	16"	21
MSIBS618	18"	22
MSIBS620	20"	24
MSIBS622	22"	25
MSIBS624	24"	27
MSIBS626	26"	28
MSIBS632	32"	30


General Information

24" and 30" wide base units available. For 24" change catalog number to begin with MIBS4. For 30" change catalog number to begin with MIBS0.

Bookstack Base Shelves Continued


Divider Base Shelf

Slotted on 1" centers for dividers, with integral 5" backstop. Clinching gusset base bracket included. Five adjustable 6" high dividers provided with 36" width, four dividers with 30" width. 10" high dividers may also be used. **Standard base width is 36"**. Brackets included.



Single Faced

Catalog No.	Base Depth	Wt.
Single Faced		
MDBS610	10"	17
MDBS611	11"	19
MDBS612	12"	20
MDBS613	13"	21
MDBS616	16"	24



Double Faced

Catalog No.	Base Depth	Wt.
Double Faced		
MDBS620	20"	32
MDBS622	22"	35
MDBS624	24"	37
MDBS626	26"	39
MDBS632	32"	45

General Information

24" and 30" wide divider base units available. For 24" change catalog number to begin with MDBS4. For 30" change catalog number to begin with MDBS0.

Sloped Divider Base Shelf

Slotted on 1" centers for dividers, with integral 5" backstop. Clinching gusset base bracket included. Five adjustable 6" high dividers provided with 36" width, four dividers with 30" width. 10" high dividers may also be used. **Standard base width is 36"**. Brackets included.


Catalog No.	Base Depth	Wt.
Single Faced		
MDBS610SLP	10"	17
MDBS611SLP	11"	19
MDBS612SLP	12"	20
MDBS613SLP	13"	21
MDBS616SLP	16"	24

Catalog No.	Base Depth	Wt.
Double Face		
MDBS620SLP	20"	32
MDBS622SLP	22"	35
MDBS624SLP	24"	37
MDBS626SLP	26"	39
MDBS632SLP	32"	45

Bookstack Adjustable Shelves

Adjustable Shelf


Use with any frame or column strip. **Standard width is 36"**. Brackets included.



Catalog No.	Shelf Depth	Wt.
M68	8"	6
M69	9"	7
M610	10"	8
M611	11"	8.5
M612	12"	9
M613	13"	11
M616SF	16"	13

Adjustable Divider Shelf

Slotted on 1" centers to accommodate dividers. Includes 5" back. Five 6" high dividers provided with each 36" shelf and four 6" high dividers with 30" shelf. 10" high dividers may also be used. **Standard width is 36"**. Brackets included.




Catalog No.	Shelf Depth	Wt.
MD610	10"	14
MD611	11"	15
MD612	12"	16
MD613	13"	17
MD614	14"	18
MD616SF	16"	19

Usable shelf depth 1" less than dimensions shown.

Adjustable Integral Back Shelf

Use on closed base bookstacks with sliding supports. **Standard width is 36"**. Brackets included. **Sliding book supports are not included.**



Catalog No.	Shelf Depth	Wt.
M681B	8"	6
M691B	9"	7
M6101B	10"	8
M6111B	11"	8.5
M6121B	12"	9
M6131B	13"	11
M6161B	16"	13

Usable shelf depth 1" less than dimensions shown.

General Information


24" and 30" wide adjustable units available. For 24" change catalog number to begin with M4. For 30" change catalog number to begin with M0. Other widths available on special order. Contact factory for details.

Special Purpose Base Shelves

Sloping Media Base Shelves


<u>Catalog No.</u>	<u>Base Depth</u>	<u>Wt.</u>
Single Face		
MDBSAV608	10 3/8" A	14
Double Face		
MDBSAV616	18 7/16" A	23

Low Profile Browsing Box Base Shelf



<u>Catalog No.</u>	<u>Base Depth</u>
Single Face	
MLPBBBS10	10"
MLPBBBS12	12"
Double Face	
MLPBBBS20	20"
MLPBBBS24	24"

Browsing Box Base Shelf




<u>Catalog No.</u>	<u>Base Depth</u>	<u>Wt.</u>
Single Face		
MBSBROW12	12"	24
MBSBROWSF	16"	28
Double Face		
MBSBROW24	24"	50
MBSBROWDF	32"	55

Pull Out Browsing Box Base Shelf

<u>Catalog No.</u>	<u>Base Depth</u>
MPOBBS612	12"
MPOBBS624	24"

Hinged Periodical Base Shelf

One piece construction used with any welded frame. Sloping shelf for display is hinged to base bracket and moves up for access to 12" closed base shelf for storage of back issues.



<u>Catalog No.</u>	<u>Size</u>	<u>Wt.</u>
MBHP612SF	36"w x 12"d	26
MBHP624DF	36"w x 24"d	45
MBHP616SF	36"w x 16"d	33
MBHP632DF	36"w x 32"d	59

NOTE: Display surface is 14" high on all sizes. Plexi and Hunge weldment add \$95.90

Continuous Label Holder

Attaches with double sided tape.

<u>Catalog No.</u>	<u>Size</u>	<u>Wt.</u>
31422-010	35"	1/4


Double sided tape

00929-10	25' roll
----------	----------

Special Purpose Components

Hinged Periodical Shelf

Use with any frame or column strip. Sloping shelf for display is hinged and moves up for access to 12" deep shelf used for storage of back issues.



Catalog No.	Size	Wt.
MHP614	36"w x 12"d	18
MHP614N	36"w x 16"d	22

NOTE: Display surface is 14" high.

Continuous label holder available. Attaches with double sided tape.

Continuous Label holder


Catalog No.	Size	Wt.
31422-010	36"	1/4

Double sided tape

00929-10	25' roll	
----------	----------	--

Sliding Reference Shelf

Sturdy full extension slides attach to underside of adjustable shelf (furnished separately). For double faced units, use two reference shelves. Standard width is 36".




Catalog No.	Depth	Actual		Wt.
		Nom. Shelf	Ref. Shelf	
Sliding Shelf and Track				
31059-071	8"	7"		11
31059-072	9"	7"		11
31059-073	10"	7"		11
31059-081	12"	11"		11

NOTE: When using with adjustable divider shelves, contact factory for part numbers.

All reference shelves are flush with front of adjustable shelves.

Hinged Periodical Shelf With Plexiglass Cover

Use with any frame or column strip. Sloping shelf for display is hinged and moves up for access to 12" deep shelf used for storage of back issues. Plexiglass cover attaches to display surface by continuous piano hinge.



Catalog No.	Size	Wt.
MHP614LX	36"w x 12"d	21
MHP614NLX	36"w x 16"d	25


NOTE: Display surface is 14" high.

Picture Book Browser

Catalog No.	Size	Wt.
MPBB612	12"	16

Hinged Periodical Cabinet with pull-up flipper door

Use with any frame or column strip. Sloping display shelf swings up and into cabinet for access to the 14" deep storage shelf where back issues are stored. Clearance height of cabinet with display shelf is 12 7/8". Storage shelf is slotted for standard dividers. Useable storage space with display shelf down is 9 1/2d x 12 7/8h.



Catalog No.	Size	Wt.
MHPCAB3615	16"D X 16"H	30


Storage Shelf

Use with any frame or column strip with fixed periodical shelves, or any place where a flat shelf is desired.



Catalog No.	Size	Wt.
MS612	36"w x 12"d	9

Heavy Duty Storage Shelf



Catalog No.	Size	Wt.
MS618	36"w x 18"d	20

Fixed Periodical Shelf

Use with any frame or column strip. Sloped for display.




Catalog No.	Size	Wt.
MFP612	36"w x 12"d	9

NOTE: Display surface is 11" high.

Work Shelf and Brackets

24" deep plastic laminate shelf supported by two steel triangular brackets for work surface within the stack or on column strips



Catalog No.	Size	Wt.
Work shelf and brackets; laminate shelf		
MWS3624	24"d x 36"w	25
Brackets Only LH & RH		
MTSB17	17"d	5

Special Purpose Components

Media Shelf - Single Tier


For DVDs, Compact Disc, VHS, Beta, and paperback books. Sloped with 3 dividers included. Capacity: 30 VHS/Beta or 80 Compact Discs/DVDs.



Catalog No.	Size	Wt.
MSAVS-636	36" w x 6" d	10

Media Shelf - Double Tier

For DVDs, Compact Disc, VHS, Beta, , and paperbabooks. Sloped with 6 dividers included. Capacity: 60 VHS/Beta or 160 Compact Discs/DVDs.



Catalog No.	Size	Wt.
MCSDT-36	14.44" d x 12" h	17

Sloped Media Shelf Divider

For single or double tier media shelf.



Catalog No.	Size	Wt.
31091-001	5" x 6"	1/2

Cassette Shelf - Double Tier


For audio cassettes. Capacity: approximately 100.



Catalog No.	Size	Wt.
MACSDT-36	9.44" d x 10.5" h	14

Zig-Zag Shelf

Zig-Zag / Paperback. 8" sloped shelf with back and paperback insert. Zig-Zag Insert included with Catalog No. MZIGZAG-36.




Catalog No.	Size	Wt.
MZIGZAG-36	36" w x 8" d	12

Catalog No.	Size	Wt.
Paperback Zig-Zag Insert 31101-035	36" w x 5" h	4

Media Hanging Bag Rack


Media hanger rack and brackets with hanger rod for clear-view plastic media bags. Assembly complete with shelf for storage of cassettes.




Catalog No.	Size	Wt.
MPBAGH-36	8" d	6

Multi-media Browsing Boxes

For various media. Each include 3 adjustable dividers.




Catalog No.	Size	Wt.
Multi-media Browsing Box; 16" MBROWSB-36	16" d x 6" h	28



Multi-media Browsing Box; 12" MBROWSB-3612	12" d X 6" h	24
--	--------------	----

Catalog No.	Size	Wt.
Low Profile Browsing Box MBOXLOPRO	10" d X 4" h	18


Pull Out Browsing Boxes



Catalog No.	Size	Wt.
31029-084	10" d x 36" w	24
31029-066	12" d x 36" w	24

Universal Media Shelf

9" deep shelf with 5" high back when mounted in "flat" position. Or 5" deep shelf with a 9" high back when mounted in "sloped" position. Includes five dividers.




Catalog No.	Size	Wt.
Universal media shelf; Slotted with dividers		
MDUDS610	9" x 5"	15
MDUDS612	11" d x 5"	18

Catalog No.	Size	Wt.
Universal media shelf; plain, no slots.		
MUDS610	10" d	12
MUDS612	12" d	15

Newspaper Racks

Display newspapers. Use with all frames and column strips. Sticks, frame, and base shelf not included. Available in 36" only.




Catalog No.	Size	Wt.
Newspaper rack only, 6 holders		
31600-025	12" d x 14" h	10

Newspaper rack only, 10 holders		
31600-027	12" d X 22"	12
Newspaper sticks, 36"		
00946-020	36" L only	

Shelf Accessories

Adjustable Shelf Divider


For use on divider-type shelves or bases.



Shelf/Base Catalog No.	Depth	Wt.
6" High		
31090-010	10"/10"	1
31090-010	10"/12"	1
16092-001	12"/12"	1
31090-040	14"/16"	1
10" High		
31090-050	10"/10"	2
31090-050	10"/12"	2
31090-060	12"/12"	2
31090-070	14"/16"	3

Sliding Book Support®

Patented divider system snaps onto rail at back of shelf. Easily adjustable.



Catalog No.	Shelf Depth	Wt.
31090-000	8" and 9"	1/4
31090-001	10" and 12"	1/4

Shipped assembled in cartons of 16 pieces.
Patent Number: 4,123,126

Wire Book Support

6" high heavy spring wire book support. Used on 8", 9", 10" or 12" shelves. Attaches to underside of shelf. Easily adjustable. Can also be used on underside of Steel Canopy Tops.



Catalog No.	Shelf Depth	Wt.
6" HIGH		
00946-030	8" & 9"	1/4
00946-040	10" & 12"	1/4
00946-041	16"	1/4
9" HIGH		
94188-071	8" & 9"	1/4
94188-070	10" & 12"	1/4

Steel Book Support - 6" or 9" High

Findable - Unattached book support used on surface of shelves.



Catalog No.	Height	Wt.
Findable Book Support		
31330-030	6"	1
31330-040	9"	1-1/2

Includes cork for book support.


Catalog No.	Height	Wt.
Steel Magnetic Book Support		
31331-010	6"	1.25
31331-020	9"	1.75

Catalog No.	Height	Wt.
Steel Hook on Book Support		
31330-010	6"	1.25
31330-020	9"	1.75



Adjustable Shelf Backstop


Can be used with any standard bookstack. Fully adjustable; moves up or down independently of shelf end brackets. May be used in same slots as bracket.



Catalog No.	Width	Wt.
31100-030	36"	2
31100-020	30"	1.75
31100-010	24"	1.5


Sliding Support Backstop

Used to adapt standard adjustable shelves to accept sliding book support.



Catalog No.	Width	Wt.
31101-010	36"	2
31101-000	30"	1.75
31101-015	24"	1.50

Adjustable Shelf Centered Backstop



Catalog No.	Width	Wt.
31101-020	36"	2
31101-025	30"	1.75
31101-028	24"	1.5

Sliding Support Center Stop-For Standard Base Only

Used to adapt standard single or double faced base shelves to accept sliding book supports.



Catalog No.	Width	Wt.
31110-012	36"	1
31110-010	30"	.75
31110-015	24"	.50




Additional Shelf Accessories

Triangular Reinforcing Gussets

Used when shelving units are to be mounted on mobile carriage bases or when additional stabilization is required. 36" high.

On single faced units:
specify left hand (LH) or
right hand (RH) gusset.



Catalog No.	Size	Wt.
Single Faced		
31210-005	8" LH	5
31210-006	8" RH	5
31210-010	9" LH	6
31210-011	9" RH	6
31210-020	10" LH	7
31210-021	10" RH	7
31210-023	11" LH	7.5
31210-024	11" RH	7.5
31210-025	12" LH	8
31210-026	12" RH	8
31211-045	13" LH	8.5
31211-046	13" RH	8.5
31211-050	16" LH	10
31121-051	16" RH	10
Double Faced		
31210-040	16"	10
31210-060	18"	12
31210-070	20"	13
31210-080	22"	14
31210-090	24"	16
31211-030	26"	18
31210-095	32"	21

Solid Closed Back

Unique design blocks off upright slots without interfering with adjustment of shelves. Upright filler channels included.




Catalog No.	Height	Wt.
MB636	36"	18
MB64	42"	21
MB648	48"	25
MB65	54"	28
MB660	60"	31
MB66	66"	34
MB672	72"	38
MB67	78"	41
MB68	84"	44
MB69	90"	48
MB693	93"	49

Fabric backs also available.
Contact factory for pricing.

Canopy Bracket for Wood Tops


Used when canopy tops other than metal are used. For double faced units use two pair. Available in 8" size for all depths. Sold in pairs only.



Catalog No.	Size	Wt.
MWCB8	8"	1
Gusset type canopy bracket pair Use for tops greater than 12" & 24" nominal depth.		
MGTWCB10	10"	1.5

End Panel Mounting Bracket


Used for mounting end panels when canopy tops are NOT required.



Catalog No.	Size	Wt.	List Price
31053-000	Single Faced	1	\$20.94
31052-000	Double Faced	1	30.68

Corner Filler

Used to make a corner for units placed at right angles to each other. Available in all heights and depths.




Catalog No.	Size	Wt.
MCF93	up to 93" high	78

NOTE: Specify height and depth required when ordering. Over 93" high - contact factory. **Indicate if going next to hinged periodical units.**

Intermediate Wall Filler

Used to fill a void where two single faced units are joined at a right angle with a double faced unit. Available for all base shelf depths and frame heights.




Catalog No.	Wt.
MIF93	136

NOTE: Specify height and depth required when ordering. Over 93" high - contact factory. **Indicate if going next to hinged periodical units.**

Y-shaped or triangular filler available at same price as intermediate wall filler.

Transverse Top Strut

Channel construction top tie strut furnished in 96" lengths for use with non-free standing bookstack units.



Catalog No.	Size	Wt.
31190-010	96"	5

Shelf Label Holder


Plastic clip-on label holder for 5/8" x 5" card.



Catalog No.	Size	Wt.
00944-040-000	5"w x 3/4"h	1/8

Card Holder


For 3" x 5" cards. Used on end panels. Two required for double faced ends. Attach with double sided tape.



Catalog No.	Size	Wt.
Zinc Plated Steel		
00944-000-000	5 1/2"w x 3 1/2"h	1/4
Plastic Card		
07176-00	5"w x 3"h	--
Range Finder		
31140-015	5 1/2"w x 3 1/2"h	1/2

Continuous Card Holder

For 3" by full length card. For use on steel or laminated end panels. Furnished in black PVC. Specify length when ordering.



Catalog No.	Size	Wt.
MPCCH14	up to 14"	1/8
MPCCH32	14" thru 32"	1/4

Seismic Safety System


The various seismic risk zones shown below indicate potential severity of seismic activity in those regions of the country. The Wilsonstak® Seismic Safety System upgrades the strong standard welded frame and recognizes other components required for proper installation in the various seismic zones. When combined, these elements will help resist overturning and/or collapse, and therefore, minimize or prevent risk of injury to people and damage to property during a seismic event.

All areas of the United States have been zoned seismically. Each zone indicates the anticipated intensity or severity of a seismic occurrence within that region.

Zones range from 0 (least likely) to 4 (most likely) to experience damage.

NOTE: Special care should be taken when specifying any system in a highly seismic area.

Seismic Risk Map of the United States



Copyright 1997, *Uniform Building Code*. Whittier, California: International Conference of Building Officials. Reproduced with permission. All rights reserved. ICBO and Boroughs assume no responsibility for the accuracy or the completion of summaries provided herein.


Additional components to be considered depending on your locations seismic zone are as follows:

Zone 0, 1 and 2A: No additional components or anchoring may be required for freestanding units. Top tie struts and floor anchoring is optional depending on local building codes.

Zones 2B, 3 and 4: Floor anchors, top ties, sway braces, additional spreader in the frame and gussets required as per local codes.

All single shelving must be wall anchored. For Zones 2B, 3 and 4, single faced shelving must be floor anchored as well.

This information is offered as a guide only. Many local codes could require changes to or review by a structural engineer.



Borroughs

C O R P O R A T I O N

3002 N. Burdick Street • Kalamazoo, MI 49004-3483
800-748-0227 • Fax 269-342-4161 • www.borroughs.com

ISO 9001:2008 Registered
ISO 14001:2004 Registered